

# ALPHA 9000 SERIES - 9030V



## P3 DISPOSABLE RESPIRATOR

A traditional range of lightweight cup shape respirators offering excellent value.

### KEY FEATURES

- Range tested to 'Dolomite Clogging Test (D)'
- Soft inner nose seal
- Traditional metal nose clip adjustment
- Soft, lightweight fabrics
- Low profile valve reduces exhalation resistance keeping the wearer cooler
- Conforms to EN149: 2001 + A1 : 2009



### ORDERING INFORMATION

**Part Number:** 9030V

**Packaging:** 5 singles per box  
60 boxes per case

**Certification:** EN149: 2001 + A1 : 2009  
FFP1 NR D

### SUITABLE APPLICATIONS

Recommended applications include:

- Craft work
- Cutting & Casting of Metals
- Disposal of Toxic Waste
- Hospital
- Iron & Steel Industry
- Laboratory & Disease Control
- Manufacture of Batteries (Ni-Cad)
- Mining
- Pharmaceutical Industry
- Textile Industry
- Underground Civil Engineering
- Welding Work
- Woodworking

# ALPHA 9000 SERIES - 9030V



## P3 DISPOSABLE RESPIRATOR

### TECHNICAL SPECIFICATIONS

#### MATERIALS

COMPONENT	MATERIAL
Outer Cover:	Polypropylene Fabric
Filter Media:	High Filtration Efficiency Melt-Blown (Polypropylene)
Inner Cover:	Polyester Fabric
Nosebridge:	Aluminium
Nosefoam:	PVC Foam
Headstrap:	Knitted Elastic Band
Exhalation Valve:	Valve Housing - Polypropylene Valve Membrane - Synthetic Rubber

#### DIMENSIONS

ITEM	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
Respirator:	139	127	54
Nosebridge:	90	5	0.5
Nosefoam:	139	127	2
Headstrap Upper:	540	10.55	1.5
Headstrap Lower:	460	10.5	1.5
Exhalation Valve:	41 (Diameter)	-	11

### CERTIFICATION

Tested in accordance to EN149 : 2001 + A1 : 2009 FFP1 NR D

Notified Body: BSI Group 0086

### RECOMMENDATIONS FOR USE

This respirator is disposable and recommended for single shift use only.

Do not attempt to clean or re-use.

### PRODUCT SELECTOR GUIDANCE CHART

Approval EN 149:2001 + A1:2009	Product Codes	APF (Assigned Protection Factor) (x WEL)	Non-Toxic Dusts	Fine / Toxic Dusts / Mists / Fumes	Odours / Org. Vapours (Below WEL)	VeryFine / Toxic Dusts / Mists / Fumes	Metal Fumes	Oil/Water Based Particulates
FFP1 NR D	9010	4	■					■
FFP1 NR D	9010V	4	■					■
FFP2 NR D	9020	10	○	■			○	■
FFP2 NR D	9020V	10	○	■			○	■
FFP2 NR D	9020W	10	○	■	■		■	■
FFP3 NR	9030V	20	○	■		■	■	■

■ = Recommended ○ = Alternative

[www.alphasolway.com](http://www.alphasolway.com) T: +44 (0)1461 202452 E: [sales@alphasolway.com](mailto:sales@alphasolway.com)

ALPHA SOLWAY LTD, Factory 1, Queensberry Street, Annan, DG12 5BL, UK

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary. © 2017 Alpha Solway Ltd | ALPHA-DATA-9030V-0518\_1

**ALPHA**  
SOLWAY